L Number	Hits		DB	Time stamp
-	2	6055516.pn.	USPAT;	2004/09/24 16:28
			US-PGPUB;	
			EPO; JPO;	
		<u> </u>	DERWENT;	
	10	COEFFE	IBM_TDB	2004/20/24 25 20
-	13		USPAT	2004/09/24 16:02
-	91		USPAT;	2004/09/24 16:30
		plural\$3) with (id identifier)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	((distributor supplier) with (multipl\$4	USPAT;	2004/09/24 16:29
	.0	plural\$3) with (id identifier)) and synch\$4	US-PGPUB;	2004/03/24 10:23
		with database	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	((distributor supplier) with (multipl\$4	USPAT;	2004/09/24 16:29
		plural\$3) with (id identifier)) and synch\$4	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	16	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/09/24 16:29
		plural\$3) with (id identifier)) and synch\$7	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	2.7	(4)	IBM_TDB	
-	37	(distributor supplier) with (multipl\$4	USPAT;	2004/09/24 16:35
		plural\$3) with (id identif\$3) WITH (DATABASE	US-PGPUB;	
		TABLE)	EPO; JPO;	
		The state of the s	DERWENT; IBM TDB	
_	7	(id identif\$3) NEAR4 (distributor supplier)	USPAT;	2004/09/24 16:39
	,	with (multipl\$4 plural\$3) NEAR5 (DATABASE	US-PGPUB;	2004/09/24 16:39
		TABLE)	EPO; JPO;	
		,	DERWENT;	
			IBM TDB	
-	6373	(id identif\$3) NEAR4 (distributor supplier	USPAT;	2004/09/24 16:39
		MANUFACTURER)	US-PGPUB;	2001,03,21 10:33
			EPO; JPO;	-
			DERWENT;	
			IBM TDB	
-	861	· · · · · · · · · · · · · · · · · · ·	USPAT;	2004/09/24 16:40
		MANUFACTURER) ) AND (MAP\$3 TRANSLAT\$4	US-PGPUB;	
		CONVERT\$4) WITH (id IDENTIF\$4)	EPO; JPO;	
			DERWENT;	
		(//:2-12	IBM_TDB	
-	582		USPAT;	2004/09/27 12:29
		MANUFACTURER) ) AND (MAP\$3 TRANSLAT\$4	US-PGPUB;	
		CONVERT\$4) WITH (id IDENTIF\$4)) AND DATABASE	EPO; JPO;	
İ			DERWENT;	
_	1106	(((id identif\$3 name) NEAR4 (distributor	IBM_TDB USPAT;	2004/09/27 10:41
1	1100	supplier MANUFACTURER producer)   AND (MAP\$3	USPAT; US-PGPUB;	2004/05/2/ 10:41
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
f		IDENTIF\$4)) AND DATABASE	DERWENT;	
			IBM TDB	
_	26	((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:30
İ		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	2001,00,27 10:30
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	0
		IDENTIF\$4)) AND DATABASE) and priorit\$4 with	DERWENT;	
		search	IBM TDB	
-	33		USPAT;	2004/09/27 10:25
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
1		IDENTIF\$4)) AND DATABASE) and priorit\$4 with	DERWENT;	
		(query search)	IBM_TDB	
-	- 90		USPAT;	2004/09/27 10:25
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and rule with	DERWENT;	
I		(query search)	IBM TDB	1

	. 3	((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:25
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	1
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and sever with	DERWENT;	•
. !	701	(plural\$4 multip\$4) with (table database)	IBM_TDB	0001/00/05 55 05
-	781	((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:31
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	
		index TRANSLAT\$4 CONVERT\$4) WITH (id IDENTIF\$4)) AND DATABASE) and (sell\$3 or	EPO; JPO;	
		buy\$3 purchas\$4)	DERWENT; IBM TDB	
_	645	(((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:32
!	013	supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	2004/03/2/ 10:32
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and (sell\$3 or	DERWENT;	
		buy\$3 purchas\$4)) and server	IBM TDB	
_	20	((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:32
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	,,
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and priorit\$4 with	DERWENT;	
		(query search)) and (((((id identif\$3 name)	IBM TDB	
		NEAR4 (distributor supplier MANUFACTURER	_	
	,	producer) ) AND (MAP\$3 index TRANSLAT\$4		
	X-	CONVERT\$4) WITH (id IDENTIF\$4)) AND		
		DATABASE) and (sell\$3 or buy\$3 purchas\$4))		
		and server)		
-	60	(((((id identif\$3 name) NEAR4 (distributor	USPAT;	2004/09/27 10:43
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	-
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
}		IDENTIF\$4)) AND DATABASE) and (sell\$3 or	DERWENT;	
		buy\$3 purchas\$4)) and (multipl\$4 pluarl\$4	IBM_TDB	
		differ\$5) near7 (product or item) near7 (id identif\$3 name)		
_	42		HCDAT.	2004/00/27 11 07
	12	supplier MANUFACTURER producer) ) AND (MAP\$3	USPAT; US-PGPUB;	2004/09/27 11:07
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and (sell\$3 or	DERWENT;	
		buy\$3 purchas\$4)) and (multipl\$4 pluarl\$4	IBM TDB	
		differ\$5) near7 (product or item) near7 (id		
		identif\$3 name)) and updat\$3 with database		,
-	7	( ( ( ( ) = = =========================	USPAT;	2004/09/27 12:25
		supplier MANUFACTURER producer) ) AND (MAP\$3	US-PGPUB;	
		index TRANSLAT\$4 CONVERT\$4) WITH (id	EPO; JPO;	
		IDENTIF\$4)) AND DATABASE) and (sell\$3 or	DERWENT;	
		buy\$3 purchas\$4)) and (list\$4 find\$3) with	IBM_TDB	
		(various diverse different) with (id		
_		identifier)		0001/5-/
-	4	(((((id identif\$3) NEAR4 (distributor	USPAT;	2004/09/27 12:26
'		supplier MANUFACTURER producer) ) AND (MAP\$3 index TRANSLAT\$4 CONVERT\$4) WITH (id	US-PGPUB;	
		IDENTIF\$4)) AND DATABASE) and (sell\$3 or	EPO; JPO;	
		buy\$3 purchas\$4)) and (list\$4 find\$3) with	DERWENT;	
		(various diverse different) with (id	IBM_TDB	
		identifier) and (buy\$3 sell\$3 purchas\$4)		
-	1466	(product or item object) near5 (id	USPAT;	2004/09/27 12:28
	-	identif\$3) NEAR5 (distributor supplier	US-PGPUB;	_ = 001, 00, 2, 12.20
	-	MANUFACTURER producer)	EPO; JPO;	
		- 	DERWENT;	
			IBM TDB	
-	359	((product or item object) near5 (id	USPAT;	2004/09/27 12:32
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	'
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	DERWENT;	,
_		WITH (id IDENTIF\$4)	IBM_TDB	
-	248	(((product or item object) near5 (id	USPAT;	2004/09/27 12:30
	ļ	identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	EPO; JPO;	
i		- xtcmounty* rightfolmoo indexs5 (CONVERTS4)	DERWENT;	i
1		WITH (id IDENTIF\$4) ) and (707/\$ 705/\$)	IBM TDB	

-	258	(((product or item object) near5 (id	USPAT;	2004/09/27 12:30
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	.
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	DERWENT;	
		WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5)	IBM_TDB	0.5.1/00/07 10 01
-	208	((((product or item object) near5 (id	USPAT;	2004/09/27 12:31
-		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	DERWENT;	
	,	WITH (id IDENTIF\$4) ) and (707/\$ 705/\$)) and ((((product or item object) near5 (id	IBM_TDB	!
		identif\$3) NEAR5 (distributor supplier		
		MANUFACTURER producer)) and (MAP\$5		
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)		
		WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5))		
_	286		USPAT;	2004/09/27 13:15
9		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	
		IDENTIF\$4)	IBM TDB	
-	186	(((product or item object) near5 (id	USPAT;	2004/09/27 12:33
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	
		IDENTIF\$4) ) and index\$5	IBM_TDB	
-	222	, · · · · <u>·</u>	USPAT;	2004/09/27 12:32
1		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	DERWENT;	
		WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5))	IBM_TDB	
		and (((product or item object) near5 (id		
		identif\$3) NEAR5 (distributor supplier		
		MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id		
		IDENTIF\$4) )		
	10		USPAT;	2004/09/27 12:36
	10	identif\$3) NEAR5 (distributor supplier	US-PGPUB;	2004/03/27 12:30
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
1		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	
		IDENTIF\$4) ) and index\$5) and (multipl\$4	IBM TDB	
		plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5		
		CONVERT\$4) WITH (id IDENTIF\$4)		
-	117	((((product or item object) near5 (id	USPAT;	2004/09/27 13:01
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	, ,
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	1
_		IDENTIF\$4) ) and index\$5) and (multipl\$4	IBM_TDB	
1		plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5		
		CONVERT\$4) WITH (database table)		
-	93		USPAT;	2004/09/27 12:37
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	-
		IDENTIF\$4) ) and index\$5) and (multipl\$4	IBM_TDB	
		plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5	1	
	93	CONVERT\$4) WITH (database table) ) and XML (((((product or item object) near5 (id	HODATE	2004/09/27 12:37
	93	((((((product or item object) near5 (id   identif\$3) NEAR5 (distributor supplier	USPAT; US-PGPUB;	2004/09/2/ 12:3/
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	
		IDENTIF\$4) ) and index\$5) and (multipl\$4	IBM TDB	
		plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5	12122	
		CONVERT\$4) WITH (database table) ) and XML)		
		and server with (database table)		
-	1		USPAT;	2004/09/27 12:38
		identif\$3) NEAR5 (distributor supplier	US-PGPUB;	, , , , , , , , , , , , , , , , , , , ,
		MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
		TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT;	
	-	IDENTIF\$4) ) and index\$5) and (multipl\$4	IBM_TDB	1
		plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5	_	
		CONVERT\$4) WITH (database table) ) and (rule		
	<u> </u>	priorit\$5) with (search query)	<u> </u>	

24 ((((product or item object) near5 (id identifs) NEARS ((distributor supplier MANUPACTURER producer)) and (MPES MITH ((d) LINITYS)) with (search query) and (rule priorit\$) with (search query) with (search query) and (Pule priorit\$)   USPAPT					
MANUFACTURER producer]) and (MAPS TRANSLATS Transform\$ index\$ CONVERT\$4) WITH (id IDENTIF\$4) and (rule priorit\$5) with (search quory) 1 (((([product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier DERMENT, INM_TDB (id IDENTIF\$4) and (chang\$4 uputa\$5) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ind (((((([product or item object) near\$5 (id identif\$3) NEAR\$ ((distributor uputa) ind (MAP\$5 TRANSLAT\$4 Transform\$5 (CONVERT\$4) and (hap\$5 translat\$6 NEAR\$5) WITH (id IDENTIF\$4) and (hap\$4 uputa\$6 NEAR\$5) WITH (id IDENTIF\$4) and (hap\$5 translat\$6 NEAR\$6 (identif\$3) NEAR\$6 ((identif\$3) NEAR\$6 ((identi	-	24			2004/09/27 12:51
TRANSLATS4 Transforms; sindex\$5 CONVERT\$4) WITH (id IDENTIFS4) and (rule priorit.55) With (search query)  1 ((((product or item object) means (id					
### WITH (id IDENTIFS4) ) and (rule priorits5) with (search query)  1 ((((product or item object) near5 (id identifs3) NEARS (distributor supplier MANUPACTURER producery) and (MAPS) WHAT (ADENTIFS4) and (MAPS) TRANSLATS4 Transform55 (CONVERTS4) and ((((((product or item object) near5 (id identifs3) NEARS (clistributor supplier MANUPACTURER producery) and (((((product or item object) near5 (id identifs3) NEARS (CONVERTS4) and ((((((product or item object) near5 (id identifs3) NEARS (CONVERTS4) and (index55) and ((multiplis4) plural34) with (MAPS TRANSLATS4 Transform55 (CONVERTS4) WITH (id IDENTIFS4) ) and (maps) Producery and (MAPS5 TRANSLATS4 Transform55 (id identifs3) NEARS ((idstributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 (CONVERTS4) WITH (id IDENTIFS4) ) and (chap54 updat53 modifs4) with (MAPS5 TRANSLATS4 Transform55 (CONVERTS4) WITH (id IDENTIFS4)) and (rule priorits5) with (search query))  114 (((((product or item object) near5 (id identifs3) NEARS ((idstributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 (CONVERTS4) WITH (id IDENTIFS4) ) and (rule priorits5) with (search query))  114 (((((product or item object) near5 (id identifs3) NEARS ((idstributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 (CONVERTS4) WITH (id IDENTIFS4) ) and (rule priorits5) with (search query))  115 (((((product or item object) near5 (id identifs3) NEARS ((idstributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 (CONVERTS4)) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule priorits5) with (map55 transform55 (CONVERTS4) WITH (id) IDENTIFS4) ) and (rule prio				· _	
with (search query)  ( ((iproduct or item object) near5 (id identifs3) NEARS (distributor supplier MAMMPACTURER producer)) and (NAPS) TRANSLATS4 Transform\$5 index55 CONVERT\$4)  WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$5) with (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (id identifs3) NEARS (identifs3) NEARS CONVERT\$4)  WITH (idetabase table)) and with (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and with (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase table)) and (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4)  WITH (idetabase or and (multipl\$4 plural\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$4 plural\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$5 plural\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$6 plural\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$6 plural\$4) with (MaPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$6 plural\$4) with (MaPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 and (multipl\$6 plural\$4) with (MaPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "Idetabase in and index\$5 convert\$4  "Idetabase in and index\$5 convert\$4  "Idetabase in and index\$5 convert\$4  "Ideta		}		1	
1 ((((product or item object) near5 (id identif(3) NEARS (distributor supplier MANUPACTURER producer)) and (NAPSS TRANSLATAS TransformS) index(5) CONVERT(4))   NITH (id IDENTIF(4)) and (changs) updat(5)   DRAFT (CONVERT(4)) and ((MAPSS TRANSLATAS) TRANSLATAS TRA				15/1_100	
identif(3) NEARS (distributor supplier   MANDMACTURER producer) and (NAPSS   TRANSLATSA Transform\$5 index\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLATSA Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$A Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4) with (MAR\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   modif(\$4)	_	1		USPAT;	2004/09/27 12:53
MANUPACTURER producer) and (MAPSS TRANSLATSA Transforms) index5 CONVERT\$4)   NITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAPSS TRANSLATSA Transform55 CONVERT\$4) and ((((((product or item object) nears (id identif\$3) MARS (distributor supplier MANUPACTURER producer) and (MAPSS TRANSLATSA Transform\$5 CONVERT\$4) WITH (database table)) and XML) and server with (database table) and (MAPSS TRANSLATSA Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$3) with (MAPSS TRANSLATSA Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$5) with (MAPSS TRANSLATSA Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (rule priorit\$5) with (search query) (Identif\$3) NEARS (distributor supplier MANUPACTURER producer)) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (rule priorit\$5) with (search query) (Identif\$3) NEARS (distributor supplier MANUPACTURER producer) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 and (sultipl\$4 glural\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 and (sultipl\$4 glural\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 and (sultipl\$4 glural\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (latentif\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (latentif\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (Chang\$4 updat\$3 modif\$4) with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (Identif\$5) MAPSS (identifbutor supplier		_		· ·	2010, 10, 11
modifs4 with (MAPSS TRANSLATS TRANSFORMS) CONVERTS4) and ((((((product or item object) near5 (id identifs3) NRARS	ſ				
modiffs) with (MAPSS TRANSLATE4 Transform\$5 CONVERT\$4) and (((((product or item object) nears (id identifs) NEARS (distributor supplier MANUFACTURER producer)) and (MAPSS TRANSLATS4 Transform\$5 CONVERT\$4) WITH (id IDENTIFS4) and index\$5) and (multipls4 plural\$4) with (MAPSS TRANSLATS4 Transform\$5 TRANSLATS4 Transform\$5 CONVERT\$4) WITH (database table)) and XMLD and server with (database table)) and (MAPSS TRANSLATS4 Transform\$5 (converts) and (maps tupdats) and (fall didentifs) (((product or item object) nears (id identifs)  ((((product or item object) nears (id identifs)) (((((product or item object) nears (id identifs)) ((((((product or item object) nears (id identifs)) (((((((product or item object) nears (id identifs)) (((((((((((((((((((((((((((((((((((			TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	DERWENT;	
CONVERTSA) and (((((((())) MERS) MEARS)  object) nears (id identifs) MEARS  ((istributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLATSA Transform\$5 CONVERTSA) WITH (id IDENTIFSA) and index\$5) and (multipl\$4) plural\$4) with (MAPS5 TRANSLATSA Transform\$5 CONVERTSA) WITH (id atabase table))  1 (((((product or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer) and (MAPS5 TRANSLATSA Transform\$5 (and (MAPS5 TRANSLATSA Transform\$6 (id identif\$3) NEARS (distributor supplier nears (id identif\$3) NEARS (distributor supplier nears (id identif\$3) NEARS (distributor supplier nears (id identif\$3) NEARS (distributor supplier nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer) and (MAPS5 TRANSLATSA Transform\$5 (noverm\$4) WITH (id IDENTIF\$4) ) and (rule priorit\$5) with (search query))  114 ((((((product or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLATSA Transform\$5 (noverm\$4) plural\$4) with (MAPS5 TRANSLAT\$A Transform\$5 CONVERT\$A) WITH (database table) and synchroduct or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer) and (MAPS5 TRANSLAT\$A Transform\$5 (ONVERT\$4) WITH (id IDENTIF\$4) and index\$5 (solver\$6) TRANSLAT\$A Transform\$5 (onver\$6) CONVERT\$A) WITH (database table) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$A) WITH (database table) i and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$A) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$3) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$A) WITH (id IDENTIF\$A) and (map\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$A) and (chang\$4 updat\$3 modif\$A) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$A) WITH (id IDENTIF\$A) and (chang\$4 updat\$3 modif\$A) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$A) WITH (id IDENTIF\$A) and (chang\$4 updat\$3 modif\$A) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$A) WITH (id IDENTIF\$A) and (chang\$5 CONVERT\$A) WITH			WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3	IBM_TDB	
Object) nears (id identif(3) NEARS (distributor supplier MANUFACTURER producer)) and (MAPSS TRANSLATS4 TransformS5 CONVERTS4) WITH (id IDENTIF(4)) and index(5) and (multipl(4) plural(54) with (MAPSS TRANSLATS4 TransformS5 CONVERTS4) WITH (database table)) and XML) and server with (database table)) and XML) and server with (database table)) and XML) and server with (database table) (identif(3)) MEARS (distributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLAT(4) Transform(55) TRANSLAT(4) Transform(55	-				
(distributor supplier MANUFACTURER producer) and (MAPSS TRANSLATS4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and with (MAPSS TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)   11 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and ((MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   WITH (id IDENTIF\$4) and ((hap\$5 CONVERT\$4)   WITH (id IDENTIF\$4) and ((hap\$5 CONVERT\$4))   TRANSLAT\$4 Transform\$5 CONVERT\$4)   WITH (id IDENTIF\$4) and ((hap\$5 CONVERT\$4))   WITH (id IDENTIF\$4) and ((hap\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   WITH (id IDENTIF\$4) and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4) and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4) and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4) and index\$5 and ((hap\$6 CONVERT\$4))   WITH (database table)   and synchy?   WITH (database table)   and synchy?   WITH (database table)   and synchy?   WITH (id IDENTIF\$4)   and index\$5 and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4)   and idex\$6 (id identif\$3) NEAR5 ((id istributor supplier MANUFACTURER producer)   and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4)   and index\$5 and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4)   and idex\$6 (id identif\$3) NEAR5 ((id istributor supplier MANUFACTURER producer)   and ((hap\$6 CONVERT\$4))   WITH (id IDENTIF\$4)   and ((hap\$6 CONVERT\$4))   WITH ((id IDENTIF\$4)   and ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6 CONVERT\$4))   WITH ((hap\$6					
producer) and (MAPSS TRANSLARS4 Transform\$5 CONVERTS4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plural\$4) with (MAPS5 TRANSLARS4 Transform\$5 CONVERT\$4) WITH (idatabase table))  11 ((((product or item object) near5 (id identif\$3) NEAR5 (idistributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLARS4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (identif\$3) NEAR5 (idistributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (search query))  114 (((((product or item object) near5 (id identif\$3) NEAR5 (idistributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (idatabase table)) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (idistributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (idatabase table)) and synch\$7 with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable)) and synch\$7 with (idatabase cable) and synch\$7 with (i				- 1-	
CONVERTS4) WITH (id DENTIFS4) and index55 and (multiplis4 plurals4) with (MAPSS TRANSLATS4 Transform55 CONVERTS4) WITH (database table)   11 ((((product or item object) near5 (id identifs3) NEAR5 (distributor supplier HANUTACTURER producer) and ((MAPS5 TRANSLATS4 Transform55 index55 CONVERTS4)   MITH (id IDENTIFS4) and ((changs4 updats3 modifs4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (search query)   114 (((((product or item object) near5 (id identifs3) NEAR5 (distributor supplier MANUFACTURER producer) and ((MAPS5 TRANSLATS4 Transform55 converts4) with (search query))   114 ((((((product or item object) near5 (id identifs3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts4) with (MAPS5 TRANSLATS4 Transform55 converts54) with (MAPS5 TRANSLATS4 Transform55 converts64) and (MAPS5 TRANSLATS4 Transform55 converts64) with (MAPS5 TRANSLATS4 Transform55 converts64) with (MAPS5 TRANSLATS4 Transform55 conv	i	1		ĺ	ĺ
index55 and (multipls4 plurals4) with (MAPS5 TRANSLATS4 Transform\$5 CONVERT\$4) WITH (database table) ) and XML) and server with (database table) and the server with (database table) and the server with (database table) and the server with (database table) and the server with (database table) and the server with (database table) and the server with (database table) and (dap55 TRANSLAT\$4 Transform\$5 transform\$5 transform\$5 transform\$1 modif\$4) with (MAP\$5 transform\$5 transform\$1 modif\$4) with (MAP\$5 transform\$5 transform\$5 transform\$5 transform\$5 transform\$5 transform\$5 transform\$5 transform\$6 transfo					
(MAPSS TRANSLATS4 Transform\$5 CONVERT\$4) WITH (database table))  11 ((((product or item object) near5 (id identifs3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAPS5 EPO; JPO; DERWENT; MTTH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and ((chang\$4 updat\$3 modif\$4) with (MAPS5 TRANSLAT\$4 Transform\$5 EPO; JPO; DERWENT; IEM_TDB  - 14 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (rule priorit\$5) with (search query))  14 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAPS5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multip184 plura184) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multip184 plura184) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multip184 plura184) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVER\$4)					
with (database table) ) and XML) and server with (database table) (((()coduct or item object) nears (id identifs3) NARAS (distributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLAT94 Transform\$5 (CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modifs4) with (MAPS5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEARS (distributor supplier MANUFACTURER producer) and (MAPS5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEARS (distributor supplier MANUFACTURER producer) and (MAPS5 TRANSLAT\$4 Transform\$5) with (search query)) (((((product or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id identif\$3) NEARS (distributor supplie					1
with (database table)  (1 ((((product or item object) near5 (id identif3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAPS5 TRANSLATS4 Transform55 index55 CONVERTS4) WITH (id IDENTIFS4) ) and ((chang54 updat53 modifs4) with (MAP55 TRANSLATS4 Transform55 CONVERTS4) WITH (id IDENTIFS4) ) and ((chang54 updat53 modifs4) with (MAP55 TRANSLATS4 Transform55 CONVERTS4) WITH (id IDENTIFS4) ) and (rule priorit\$5) with (search query)  114 (((((product or item object) near5 (id identif3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and index55 and (multip154 plural54) with (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and index55 and (multip154 plural54) with (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and index55 and (multip154 plural54) with (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and index55 and (multip154 plural54) with (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and index55 and (multip154 plural54) with (MAP55 TRANSLAT34 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (identif53) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP55 TRANSLAT54 Transform55 (id identif53) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$4) WITH (id IDENTIFS4) ) and (chang54 updat53 modif54) with (MAP55 TRANSLAT54 Transform55 CONVERT\$54) WITH (id					
I (((()roduct or item object) near5 (id identifs3) NRARS (distributor supplier manufacturer producer) and (MAP\$5 manufacturer producer) and (MAP\$5 manufacturer producer) and (Chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 (CONVERT\$4) and ((()roduct or item object) near5 (id identif\$3) NRARS (distributor supplier manufacturer producer) and (MAP\$5 manufacturer producer) and manufacturer producer) a					
identif(3) NRARS (distributor supplier   MANUFACTURER producer) and (MAP\$5   DERMENT;	-	11		USPAT;	2004/09/27 12:55
MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and ((((product or item object) near\$ (id identif\$3) NBAR\$ (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (rule priorit\$5) with (search query))  1144 ((((((product or item object) near\$ (id identif\$3) NBAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 and (multip]\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7  1 ((((product or item object) near\$ (id identif\$3) NBAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip]\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database table) in the convert\$4 with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$4) WITH (database table) in the convert\$4 with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$4) WITH (database table) in the convert\$4 with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$4) WITH (database table) in the convert\$5 transform\$5 CONVERT\$4) WITH (database conver\$5 transform\$5 CONV	]			US-PGPUB;	
WITH (id IDENTIFS4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)   and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)   with (search query)   (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)   and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5) and (multipl\$4 plural\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5) and (multipl\$4 plural\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and index\$5] and (multipl\$4   map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (map\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)   and (chang\$4 updat\$3 modif\$4) with (map\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id I			MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	
modifs4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (rule priorit\$5) with (search query))  114 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database cable) ) and synch\$7 with (database cable) ) and synch\$7 with (database crable) ) and synch\$7 with (database crable) and synch\$7 with synch\$7 with synch\$7 with synch\$7 with synch\$7 with syn				1	
CONVERT\$4) and ((((product or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "Ith ((((()forduct or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chans\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "WITH (id IDENTIF\$4) and (chans\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "WITH (id IDENTIF\$4) and (chans\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  "SPAT;  "USPAT;  "US				IBM_TDB	
near5 (id identif(s) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT54 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (rule priorit\$5) with (search query))  114 (((((product or item object) near5 (id identif(s)) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT54 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multip1\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7  1 (((((product or item object) near5 (id identif(s)) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multip1\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) with (database converT\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 converT\$4) modif\$4) with (MaP\$5 transform\$5 converT\$4) modif\$4) with (MaP\$5 transform\$5 converT\$4) modif\$4) with (MaP\$5 transform\$5 converT\$4) modif\$4) with (MaP\$5 transform\$5 converT\$4) modif\$4 modif\$4) modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 modif\$4 m				ļ	
supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH '(id IDENTIF\$4) ) and (rule priorit\$5) with (search query))  114 ((((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database table) ) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$5 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chan\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chan\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP\$5 CONVERT\$4) and (identif\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and (identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) US-PGPUB EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET; EPO; JPO; DERNET;					
TRÄNSLATS4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (rule priorit\$5) with (search query))  114 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multip1\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MaP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (database cable) and synch\$7 with (database table)) and synch\$7 with (database table) and synch\$7 with (database table) and synch\$7 with (database cable) and synch\$7 with (database table) and synch\$7 with (database cable) and synch\$7 with (database table) and synch\$7 with (did IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id obstributor supplier MANUFACTURER producer)) and (MAP\$5 CONVERT\$4) modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id obstributor supplier MANUFACTURER producer)) and (MAP\$5 CONVERT\$4) modif\$4 with (MAP\$5 TRANSLAT\$4 with database (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 CONVERT\$4) modif\$4 with (MAP\$5 TRANSLAT\$4 with database (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP\$5 CO				ĺ	
WITH '(id IDENTIF\$4) ) and (rule priorit\$5) with (search query))  (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB					
with (search query))  (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5  TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multip1\$4 plural\$4] with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) DERWENT; IBM_TDB  - 81 (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  - 55 (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  - 55 (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  - 56 (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  - 57 (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUPACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 convert\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$54) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$54) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transf				Ì	
114 (((((()(r)roduct or item object) nears (id identifs3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7  1 ((((()()() roduct or item object) nears (id identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database or server) with (map\$5 translat\$4 conver\$5 transform\$5 ((()() roduct or item object) near5 (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) USPAT; USPACUA; USPAT; USPACUA; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USPAT; USP					
identif\$3) NEARS (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7  1 (((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multip1\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database table) synch\$7 with (database tab		114		USPAT;	2004/09/27 12:56
TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) USPAT; USPO; DERWENT; IBM_TDB DERWENT; IBM_T			identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
IDENTIFS4)   and index\$5 and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (database table)   and synch\$7			MANUFACTURER producer)) and (MAP\$5	EPO; JPO;	ĺ
plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4 WITH (database table) ) and synch\$7  1 (((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id iDENTIF\$4) ) and index\$5 and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7  81 (((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  134 ((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database (((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database (((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4 with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer) and (MAP\$5 DERNENT; IBM TDB  2004/09/27 13:01 USPAT; US-PGPUB; EPO; JPO; DERNENT; IBM TDB  2004/09/27 13:01 USPAT; US-PGPUB; EPO; JPO; DERNENT; IBM TDB				DERWENT;	
CONVERT\$4) WITH (database table) ) and synch\$7  1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 (ONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modi\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modi\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (DNVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modi\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 (DNVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 (ONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5 (ONVERT\$4) WITH (id IDENTIF\$4				IBM_TDB	
synch\$7  (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 ransform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (map\$5 transform\$5 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 (Uspat; Uspat; Usp		j		}	J
1 (((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multip1\$4 plura1\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id synch\$7 with (database table)) and synch\$7 with (database table)) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) wiTH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and distribut\$4 with database  134 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multip1\$4  134 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multip1\$4					
identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  134  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 CONVERT\$4) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5 and (multipl\$4  IBM TDB	_	7		HIGDAT.	2004/09/27 12:57
MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  **Source of the completion of the comple		_		1 '	2004/03/27 12:57
TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table)) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and index\$5 CONVERT\$5 (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distribut\$4 with database (((((product or item object) near\$ (id identif\$3) NEAR\$ (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) und (index\$5) and (multipl\$4 WITH (id IDENTIF\$4)) and index\$5) and (multipl\$4 WITH (id IDENTIF\$4)				,	
IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (database table) ) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) with (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) wITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) wITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) wITH (id IDENTIF\$4) ) and distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) wITH (id IDENTIF\$4) ) and index\$5 convert\$4) wITH (id IDENTIF\$4) and index\$5 convert\$4) wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 convert\$4] wITH (id IDENTIF\$4) and index\$5 and (multipl\$4] IBM TDB					
CONVERT\$4) WITH (database table) ) and synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) with (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) with database (TRANSLAT\$4 Transform\$5 CONVERT\$4) with database (IDENTIF\$4) and index\$5 CONVERT\$4) with (id IDENTIF\$4) and index\$5 CONVERT\$4) with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4) and index\$5 CONVERT\$4 with (id IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$4 IDENTIF\$5 IDENTIF		1			
synch\$7 with (database or server) with (map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  134  134 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 CONVERT\$4)) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)) and distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 CONVERT\$4) WITH (id IDENTIF\$4)) and index\$5 and (multipl\$4  IBM TDB  2004/09/27 13:01  2004/09/27 13:01  2004/09/27 13:01			plural\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5	_	
(map\$5 translat\$4 conver\$5 transform\$6) (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5 and (multip1\$4  WITH (id IDENTIF\$4) ) and index\$5 and (multip1\$4  WEPAT; USPAT; IBM_TDB	}	=	CONVERT\$4) WITH (database table) ) and	ľ	
S1		-	synchs/ with (database or server) with		
identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and index\$5) and (multipl\$4  IBM TDB	Í _	0.7	(mapps translated converss transforms6)	Hann	2004/00/05 12 55
MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4  HEPO; JPO; DERWENT;  13.01  USPAT; USPAT; US-PGPUB; EPO; JPO; DERWENT; IDENTIF\$4) ) and index\$5 convert\$4 WITH (id DERWENT; IDENTIF\$4) ) and index\$5 and (multipl\$4	_	81			2004/09/2/ 13:01
TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multip1\$4  DERWENT; IDENTIF\$4) ) and index\$5) and (multip1\$4  DERWENT; IBM TDB					
WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  55 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	}	ļ			
modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier US-PGPUB; MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier US-PGPUB; MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4    DERWENT;   DERW		*	WITH (id IDENTIF\$4) ) and (chang\$4 undar\$3	-	
CONVERT\$4)  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier us-pgpuB; MANUFACTURER producer)) and (MAP\$5  TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5  CONVERT\$4) ) and distribut\$4 with database  ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier us-pgpuB; MANUFACTURER producer)) and (MAP\$5  TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4  IBM TDB		J	modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5		
55 ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier yanufacturer producer)) and (MAP\$5 yield			CONVERT\$4)		
identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4  US-PGPUB; EPO; JPO; US-PGPUB; EPO; JPO; DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4		55	((((product or item object) near5 (id	USPAT;	2004/09/27 13:01
TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)  WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3  modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5  CONVERT\$4) ) and distribut\$4 with database  ((((product or item object) near5 (id USPAT; 2004/09/27 13:09  identif\$3) NEAR5 (distributor supplier US-PGPUB; EPO; JPO; TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4 IBM TDB			identif\$3) NEAR5 (distributor supplier	US-PGPUB;	
WITH (id IDENTIF\$4) ) and (chang\$4 updat\$3 modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database ((((product or item object) near5 (id USPAT; identif\$3) NEAR5 (distributor supplier US-PGPUB; MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4 IBM TDB		}		EPO; JPO;	}
modif\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) ) and distribut\$4 with database  ((((product or item object) near5 (id USPAT; US-PGPUB; MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4    MAP\$5			TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	1	
CONVERT\$4) ) and distribut\$4 with database  ((((product or item object) near5 (id USPAT; US-PGPUB; MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4    CONVERT\$4) USPAT; US-PGPUB; EPO; JPO; DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4	1	}	with (10 IDENTIF\$4) ) and (chang\$4 updat\$3	IBM_TDB	
134 ((((product or item object) near5 (id USPAT; identif\$3) NEAR5 (distributor supplier US-PGPUB; EPO; JPO; TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4 IBM TDB			CONVERTEAL L and distributed with details		
identif\$3) NEAR5 (distributor supplier US-PGPUB; MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4)) and index\$5) and (multipl\$4 IBM TDB	-	124		HODAM	2004/09/22 12 00
MANUFACTURER producer)) and (MAP\$5 EPO; JPO; TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4)) and index\$5) and (multipl\$4 IBM TDB		***	, In the second of the se		2004/03/2/ 13:09
TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id DERWENT; IDENTIF\$4) ) and index\$5) and (multipl\$4 IBM TDB			MANUFACTURER producer)) and (MAPS5	· ·	
IDENTIF\$4) ) and index\$5) and (multipl\$4 IBM TDB			TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id		
			IDENTIF\$4) ) and index\$5) and (multipl\$4		
	<u> </u>				

	· · · · · · · · · · · · · · · · · · ·			
-	27	<pre>(((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/27 13:10
		IDENTIF\$4) ) and index\$5) and (multipl\$4 plural\$4) with (quer\$4 search\$4)) and (combin\$5 merg\$5 or integrat\$5) with	IBM_TDB	
		(results match)		
-	150	<pre>(multipl\$4 plural\$4) with (quer\$4 search\$4) and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/27 13:15
		TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4)	IBM_TDB	
_	138	WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5)) ((multipl\$4 plural\$4) with (quer\$4 search\$4) and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 13:09
		and index		
-	140	<pre>((multipl\$4 plural\$4) with (quer\$4 search\$4) and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5))) and index\$4</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 13:10
	32	(((multipl\$4 plural\$4) with (quer\$4 search\$4) and ((((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 13:10
-	32	and index\$4) and (combin\$5 merg\$5 or integrat\$5) with (results match) (((multipl\$4 plural\$4) with (quer\$4 search\$4) and (((product or item object) near5 (id identif\$3) NEAR5 (distributor supplier MANUFACTURER producer)) and (MAP\$5 TRANSLAT\$4 Transform\$5 index\$5 CONVERT\$4) WITH (id IDENTIF\$4) ) and (buy\$5 sell\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/09/27 13:10
-	91	and index\$4) and (combin\$5 merg\$5 or integrat\$5) with (result match) (multipl\$4 plural\$4) with (quer\$4 search\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) with (database table index)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/09/27 13:21
-	23	((multipl\$4 plural\$4) with (quer\$4 search\$4) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$4) with	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/27 13:16
-	92	(database table index)) and (rule priorit\$4) with (query search) (multipl\$4 plural\$4) with (quer\$4 search\$4) with (database table index) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id IDENTIF\$6)	DERWENT;  IBM_TDB  USPAT;  US-PGPUB;  EPO; JPO;  DERWENT;	2004/09/27 13:22
-	3	(multipl\$4 plural\$4) with (quer\$4 search\$4) with (database table index) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/27 13:22
-	12	IDENTIF\$6) and (distributor supplier MANUFACTURER producer) WITH (id IDENTIF\$6) (multipl\$4 plural\$4) with (quer\$4 search\$4) with (database table index) with (MAP\$5 TRANSLAT\$4 Transform\$5 CONVERT\$4) WITH (id	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/09/27 13:23
		IDENTIF\$6) and (distributor supplier MANUFACTURER producer)	DERWENT; IBM_TDB	